

RF Exposure Lab

802 N. Twin Oaks Valley Road, Suite 105 • San Marcos, CA 92069 • U.S.A.

TEL (760) 471-2100 • FAX (760) 471-2121

<http://www.rfexposurelab.com>

CERTIFICATE OF TESTING R&D SAR EVALUATION

TSP d.o.o, Croatia
Ribarska 4 (Essker center) 31000
Osijek

Eurogator LLC – US and Canada
exclusive distributor
628 Ellen Drive
Winter Park, FL 32789

Dates of Test: October 31, 2019
Test Report Number: R&D.20191101
Revision A

Model(s):	Apple iPhone 7 with SAR reducing chip
Test Sample:	Production Unit
Equipment Type:	Cellular Phone
Classification:	Portable Transmitter Next to Body
TX Frequency Range:	1850 – 1915 MHz
Frequency Tolerance:	± 2.5 ppm
Maximum RF Output:	Not Measured
Signal Modulation:	WCDMA
Antenna Type:	Internal
Application Type:	Evaluation
FCC Rule Parts:	Part 2, 24
KDB Test Methodology:	KDB 447498 D01 v06, KDB 648474 D01 v01r05, KDB 941225 D01 v03r01, KDB941225 D05 v02r05, KDB 941225 D06 v02r01
Max. Stand Alone SAR Value:	2.28 W/kg Measured
Separation Distance:	0 mm for Head; 5 mm for Body

This wireless mobile and/or portable device has been tested for localized specific absorption rate (SAR) for uncontrolled environment/general exposure limits specified in EN 62311:2008 and had been tested in accordance with the measurement procedures specified in IEC 62209-2:2010 (See test report).

I attest to the accuracy of the data. All measurements were performed by myself or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



Jay M. Moulton
Vice President



Testing Cert. # 2387.01